

AutoDoc:BlueSpiceReminder

Inhaltsverzeichnis

1	DescriptionMsg	2
2	License	2
3	Requirements	2
4	IntegratesInto	2
5	SpecialPages	2
6	Permissions	2
6.1	Rechte	2
7	DefaultUserOptions	2
7.1	Benutzeroptionen	2
8	ApiModules	2
8.1	API Modules	2
9	Hooks	3
9.1	Hooks	3

DescriptionMsg

Lässt den Benutzer Erinnerungen zu Seiten erstellen.

License

GPL v3

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

IntegratesInto

- BlueSpiceEchoConnector
- BlueSpicePrivacy
- BlueSpiceReminder

SpecialPages

- Reminder

Permissions

Rechte

Name	Beschreibung	Rollen
remindereeditall	Erinnerungen anderer Benutzer bearbeiten	admin, maintenanceadmin

DefaultUserOptions

Benutzeroptionen

Name	Wert
bs-reminder-forns	"
bs-reminder-oncreate	false
bs-reminder-period	6
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

ApiModules

API Modules

- bs-reminder-store

- [bs-reminder-tasks](#)

Hooks

Hooks

- [BeforePageDisplay](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [PageContentSaveComplete](#)
- [SkinTemplateNavigation](#)
- [SkinTemplateOutputPageBeforeExec](#)