

AutoDoc:BlueSpiceVisualEditorConnector

Inhaltsverzeichnis

1	DescriptionMsg	2
2	License	2
3	Requirements	2
4	IntegratesInto	2
5	Config	2
5.1	Konfiguration	2
6	ApiModules	3
6.1	API Modules	3
7	Hooks	4
7.1	Hooks	4

DescriptionMsg

Verbindet BlueSpice mit dem VisualEditor

License

GPL v3

Requirements

- MediaWiki: 1.31
- BlueSpiceFoundation: 3.2

OOJSPlus: * VisualEditor: =0.1.0

IntegratesInto

- BlueSpiceSaferEdit
- BlueSpiceSimpleFarmer
- BlueSpiceVisualEditorConnector
- VisualEditor

Config

Konfiguration

Name	Wert
VisualEditorConnectorCellBorderColors	array (0 => array ('code' => '#97bfe7',), 1 => array ('code' => '#5185b9',), 2 => array ('code' => '#0060df',), 3 => array ('code' => '#3e5389',), 4 => array ('code' => '#e49c00',), 5 => array ('code' => '#259596',), 6 => array ('code' => '#3fb34c',), 7 => array ('code' => '#cd41cb',), 8 => array ('code' => '#b73a3a',), 9 => array ('code' => '#d2d2d2',), 10 => array ('code' => '#acacac',), 11 => array ('code' => '#787878',), 12 => array ('code' => '#434343',), 13 => array ('code' => '#000000',),)
VisualEditorConnectorColorPickerColors	array (0 => array ('class' => 'col-white', 'name' => 'White',), 1 => array ('class' => 'col-blue-light', 'name' => 'Light Blue',), 2 => array ('class' => 'col-blue', 'name' => 'Blue',), 3 => array ('class' => 'col-blue-dark', 'name' => 'Dark Blue',), 4 => array ('class' => 'col-blue-navy', 'name' => 'Navy Blue',), 5 => array ('class' => 'col-orange', 'name' => 'Orange',), 6 => array ('class' => 'col-turquoise', 'name' => 'Turquoise',), 7 => array ('class' => 'col-green', 'name' => 'Green',), 8 => array ('class' =>

Name	Wert
	'col-purple', 'name' => 'Purple',), 9 => array ('class' => 'col-red', 'name' => 'Red',), 10 => array ('class' => 'col-grey-light', 'name' => 'Light Grey',), 11 => array ('class' => 'col-grey-medium', 'name' => 'Medium Grey',), 12 => array ('class' => 'col-grey', 'name' => 'Grey',), 13 => array ('class' => 'col-grey-dark', 'name' => 'Dark Grey',), 14 => array ('class' => 'col-black', 'name' => 'Black',),)
VisualEditorConnectorColorPickerColorsBackground	array (0 => array ('class' => 'col-white-bg', 'name' => 'White',), 1 => array ('class' => 'col-blue-light-bg', 'name' => 'Light Blue',), 2 => array ('class' => 'col-blue-bg', 'name' => 'Blue',), 3 => array ('class' => 'col-blue-dark-bg', 'name' => 'Dark Blue',), 4 => array ('class' => 'col-blue-navy-bg', 'name' => 'Navy Blue',), 5 => array ('class' => 'col-orange-bg', 'name' => 'Orange',), 6 => array ('class' => 'col-turquoise-bg', 'name' => 'Turquoise',), 7 => array ('class' => 'col-green-bg', 'name' => 'Green',), 8 => array ('class' => 'col-purple-bg', 'name' => 'Purple',), 9 => array ('class' => 'col-red-bg', 'name' => 'Red',), 10 => array ('class' => 'col-grey-light-bg', 'name' => 'Light Grey',), 11 => array ('class' => 'col-grey-medium-bg', 'name' => 'Medium Grey',), 12 => array ('class' => 'col-grey-bg', 'name' => 'Grey',), 13 => array ('class' => 'col-grey-dark-bg', 'name' => 'Dark Grey',), 14 => array ('class' => 'col-black-bg', 'name' => 'Black',),)
VisualEditorConnectorEnableVisualEditor	true
VisualEditorConnectorHelpUrl	'https://en.wiki.bluespice.com/wiki/Manual:Extension/VisualEditor'
VisualEditorConnectorPasteFilename	'{{timestamp}}'
VisualEditorConnectorSimpleSaveProcess	true
VisualEditorConnectorTableStyleRegistry	array ('Standard' => 'wikitable', 'Content' => 'contenttable', 'Content (black)' => 'contenttable-black', 'Content (blue)' => 'contenttable-blue', 'Content (darkblue)' => 'contenttable-darkblue', 'Cusco Sky' => 'cuscosky', 'Casablanca' => 'casablanca', 'Greyscale' => 'greyscale', 'Greyscale (narrow)' => 'greyscale-narrow',)
VisualEditorConnectorUploadDialogType	'original'

ApiModules

API Modules

- bs-vec-restbase-mock

- [bs-vec-transformtohtml](#)
- [bs-vec-transformtowikitext](#)

Hooks

Hooks

- [APIAfterExecute](#)
- [BSApiNamespaceStoreMakeData](#)
- [BSPageTemplatesModifyTargetUrl](#)
- [BSSocialModuleDepths](#)
- [BSUEModulePDFBeforeAddingStyleBlocks](#)
- [BeforePageDisplay](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)